

Appl. No. 10/698,988
Amdt. Dated September 26, 2005

Attorney Docket No.: NSL-014
Reply to Office Action of July 26, 2005

Kindly cancel claims 1-11 and add new claim 28 as shown in the listing of claims below. This listing of claims will replace all prior versions, and listings of claims in the application.

1 1-11. (cancel)

1 12. (previously presented) An inorganic/organic hybrid nanolaminate barrier film, comprising:
2 a plurality of layers of an inorganic material; and
3 a plurality of layers of an organic polymer material wherein the layers of organic polymer
4 material alternate with the layers of inorganic material;
5 wherein adjacent layers of the organic polymer material and inorganic material are
6 covalently bonded to each other.

1 13. (previously presented) The barrier film of claim 12 wherein the total number of organic
2 polymer and inorganic layers in the film is between about 100 and about 1000 layers, or
3 between about 1000 and about 10,000 layers, or between about 10,000 layers and about
4 100,000 layers.

1 14. (original) The barrier film of claim 12 wherein each of the layers of inorganic material has a
2 thickness of about 0.1 nm to about 1 nm; about 1 to about 10 nm; or about 1 nm to about
3 100 nm.

1 15. (original) The barrier film of claim 14 wherein the barrier film is substantially transparent.

1 16. (original) The barrier film of claim 12 wherein the barrier film has a permeability to oxygen
2 less than about 1 cc/m²/day, 0.1 cc/m²/day, 0.01 cc/m²/day, 10⁻³ cc/m²/day, 10⁻⁴
3 cc/m²/day, 10⁻⁵ cc/m²/day, or 10⁻⁶ cc/m²/day.

1 17. (original) The barrier film of claim 16 wherein the barrier film has a permeability to water
2 vapor less than about 1 g/m²/day, 0.1 g/m²/day, 0.01 g/m²/day, 10⁻³ g/m²/day, 10⁻⁴
3 g/m²/day, 10⁻⁵ g/m²/day, or 10⁻⁶ g/m²/day.

1 18. (previously presented) The barrier film of claim 12 wherein one or more of the organic
2 polymer layers is a superhydrophobic layer.

1 19. (original) The barrier film of claim 18 wherein the superhydrophobic layer includes
2 fluororalkylsilane.

Appl. No. 10/698,988
Amdt. Dated September 26, 2005

Attorney Docket No.: NSL-014
Reply to Office Action of July 26, 2005

- 1 20. (previously presented) The barrier film of claim 12 wherein the organic polymer layers are
2 made from polymer precursors to which one or more one or more hydrophobic groups
3 have been added.
- 1 21. (original) The barrier film of claim 20 wherein the one or more hydrophobic groups are
2 selected from the group of non-polar hydrophobic groups, methyl groups, benzyl
3 (aromatic) groups, PO_4^{3-} , SO_4^{2-} , CH_3COO^- , Cl^- , Br^- , NO^- , ClO_4^- , I^- , SC_n^- anions, NH_4^+ ,
4 Rb^+ , K^+ , Na^+ , Cs^+ , Li^+ , Mg^{2+} , Ca^{2+} , Ba^{2+} cations, tryptophan, isoleucine, phenylalanine,
5 tyrosine, leucine, valine, methionine, and alanine.
- 1 22. (original) The barrier film of claim 12 wherein the barrier film is made from a sol including
2 one or more Gemini surfactants.
- 1 23. (original) An article of manufacture, comprising:
2 an object having a surface; and
3 an inorganic/organic hybrid nanolaminate barrier film of the type set forth in claim 12
4 disposed on the surface.
- 1 24. (original) The article of manufacture of claim 23 wherein the object is selected from the
2 group of optoelectronic devices, LEDs, solar cells, FETs, lasers, pharmaceutical products,
3 tablets in packages, medical devices, food products, packaged foods, beverages, candies,
4 display screens, touch panel displays, flat panel displays, electroluminescent windows,
5 windows, transparent films and coatings, electronic components, and chassis for appliances
6 used in rugged environments.
- 1 25. (previously presented) The barrier film of claim 12 wherein one or more of the layers of
2 organic and/or inorganic materials are in the form of lamellae.
- 1 26. (previously presented) The barrier film of claim 12 wherein one or more of the layers or
2 organic and inorganic materials are in the form of tubules.
- 1 27. (previously presented) The barrier film of claim 12 wherein the organic polymer material is
2 chosen from the group of polyethylene naphthalate, polyether etherketone, polyether sulfone,
3 polymers formed from fluorinated or non-fluorinated styrene polymer precursors, fluorinated

Appl. No. 10/698,988
Amdt. Dated September 26, 2005

Attorney Docket No.: NSL-014
Reply to Office Action of July 26, 2005

4 or non-fluorinated methyl styrene polymer precursors, fluorinated or non-fluorinated
5 (meth)acrylate polymer precursors, and combinations and/or derivatives of two or more of
6 these precursors.

1 28. (new) The barrier film of claim 12 wherein adjacent layers of the organic polymer material
2 and inorganic material are covalently bonded to each other at an interface between organic
3 and inorganic materials.